

Robinet d'arrêt équerre 1/2"

Product by Grohe



Information

Product code

4005176468018

Collection

Angle valves neutral handle

Language

French

Attributes

Basic Data:

material

22037EN0

SAP_A449_MaterialStatus

4

color-code

en0

item-historical

True

item-b2c

True

item-b2b

True

deeplink_pdp_locale

<https://www.grohe.com/fr-FR/-22037EN0.html>

model-number

22037_0

Text:

text-long

Connexion pré-taraudée pour une meilleure étanchéité
Raccord mural 1/2"
Sortie 3/8"
Avec longueur compensatoire
Avec écrou de compression Ø 10 mm
Protégé contre les retours d'eau, laiton, avec
chambre à graisse et double joint torique
Longue barre de liaison
Poignée ergonomique en métal
Marquage neutre
Rosace métallique Ø 55 mm
GROHE Finition Longue Durée

text-short

Robinet d'arrêt équerre 1/2"

color-name

Nickel brossé

Sap:

basic version

22037

design

Robinets d'arrêt

Label

product typ

Robinet d'arrêt

draw-off point

Multi-usage

Kind of Spout	sans bec
Kind of Spout - CODE	A428
Kind of Spout - SYMBOL	000
design group	Robinet d'arrêt équerre poigné
Montageart	Mural
supporting unit	Robinet arrêt équerre
brand	GROHE
style segment	contemporary
made-in label für us-products	no
last digit	0
product segment	Bain
product category	Sanitary taps
product type group	Robinet d'arrêt
COO Country of origin	Italy
COO Country of origin - CODE	A495
COO Country of origin - SYMBOL	IT
Predecessor	XXX
Assortment	Standard
Quantity of Units	1
ETIM class	EC011344
MDG Type	Generic Finished Good
MDG Type - CODE	L0034
MDG Type - SYMBOL	1
sap_intrastat	84818079
Shoppable D2C	N/A

Logistics:

ZMK materialnumber	22037EN0
ZMK length	600.0
ZMK height	205.0
ZMK width	400.0
ZMK unit-dim	MM
ZMK numerator	50.0
ZMK denominator	1.0
PAL materialnumber	22037EN0
PAL length	1200.0
PAL height	970.0
PAL width	800.0
PAL unit-dim	MM
PAL numerator	2000.0
PAL denominator	1.0
ST materialnumber	22037EN0
ST length	90.0
ST height	35.0
ST width	60.0
ST gross-weight	0.17
ST net-weight	0.17
ST unit-dim	MM

ST numerator	1.0
ST denominator	1.0
ST unit-of-weight	KG

HTML:

text-long_html	<p>Connection pré-taraudée pour une meilleure étanchéité Raccord mural 1/2" Sortie 3/8" Avec longueur compensatoire Avec écrou de compression Ø 10 mm Protégé contre les retours d'eau, laiton, avec chambre à graisse et double joint torique Longue barre de liaison Poignée ergonomique en métal Marquage neutre Rosace métallique Ø 55 mm GROHE Finition Longue Durée</p>
text-short_html	Robinet d'arrêt équerre 1/2"
color-name_html	Nickel brossé

ETIM:

EF023662 With covering rosette	TRUE
EF020785 Connection size supply	EV004591
EF002671 Basic colour	EV000154
EF002286 Connection supply	EV004441
EF020781 Locking mechanism	EV022197
EFNL0001 KIWA certified	FALSE
EF002147 Operation	EV001478
EF020963 Extension set available	FALSE
EF020969 Outgoing connection	EV020242
EF020970 Size of outgoing connection	EV003501
EF020791 Material tap	EV000149
EF020971 Built-in stop valve model	-
EF000051 Shape	EV003873
EF023686 Accent colour	-
EF003454 Built-in	FALSE
EF005464 Built-in depth	0
EFSE0002 Type approval acc to BBR/EKS	FALSE

Asset links (with tags):

Line Drawing	ZSZ::https://cdn.cloud.grohe.com/linedraw/1000/1900/1950/195
Dimensional Drawing	ZMA::https://cdn.cloud.grohe.com/dimdraw/1000/1900/1950/195
	ZMA::https://cdn.cloud.grohe.com/dimdraw/800/850/855/855575
CAD / 3D Data	ZCS::https://cdn.cloud.grohe.com/CAD/2000/2100/2150/2151/21
	ZCS::https://cdn.cloud.grohe.com/CAD/2000/2100/2190/2193/21

Standard Product Photo (Coloured)

ZZF::https://cdn.cloud.grohe.com/prod/20/22/22037EN0/1500/22

Packshot links:

colorPictures

<https://cdn.cloud.grohe.com/prod/20/22/22037EN0/1500/22037E>

lineDrawing

<https://cdn.cloud.grohe.com/linedraw/1000/1900/1950/1951/195>

dimensionalDrawingMM

<https://cdn.cloud.grohe.com/dimdraw/1000/1900/1950/1952/195>

Images

