

Allure Brilliant Mélangeur Lavabo 3 trous Taille M

Product by Grohe



Information

Product code

4005176898884

Collection

Allure Brilliant

Language

French

Attributes

Basic Data:

material

20344000

SAP_A449_MaterialStatus

4

color-code

000

item-historical

True

item-b2c

True

item-b2b

True

deeplink_pdp_locale

<https://www.grohe.com/fr-FR/-20344000.html>

model-number

20344_0

Text:

text-long

Tête à disques céramique Carbodur 1/2"; 1/4 de tour
GROHE Finition Longue Durée
Débit limité à 5 l/min
Bec avec mousseur intégré
Tirette et garniture de vidage 1-1/4"
Flexibles de raccordement du bec aux robinets latéraux

text-short

Mélangeur Lavabo 3 trous

Taille M

color-name

Chromé

communication-design

Allure Brilliant

Rich Text:

collection-marketing-text

Avec GROHE Allure Brilliant, faites le choix d'un robinet de salle de bain qui repousse les limites, tant en matière d'esthétique que de performances. Unique et audacieuse, la gamme de robinets, douches et accessoires GROHE Allure Brilliant puise son inspiration dans la perfection naturelle et géométrique du diamant pour apporter à votre salle de bains une élégance toute contemporaine que vous pouvez intégrer à toutes vos idées.

Sap:

basic version	20344
design	Allure Brilliant
Label	Allure Brilliant
product typ	Mélangeur
draw-off point	Lavabo
Kind of Spout	bec moulé haut
Kind of Spout - CODE	A428
Kind of Spout - SYMBOL	031
design group	Allure Brilliant
Montageart	deck mounted
supporting unit	Robinetterie Salle de bains
brand	GROHE
style segment	cosmopolitan
made-in label für us-products	no
last digit	0
product segment	Bain
product category	Sanitary taps
product type group	Mélangeur
COO Country of origin	Germany
COO Country of origin - CODE	A495
COO Country of origin - SYMBOL	DE
Assortment	Standard
PQ Relevant	YES GROHE
ETIM class	EC011328
Replacement	20627000
Number of Tap Holes	3
Number of Tap Holes - CODE	A523
Number of Tap Holes - SYMBOL	3
A509 Size of product	L
A509 Size of product - CODE	A509
A509 Size of product - SYMBOL	L
MDG Type	Generic Finished Good
MDG Type - CODE	L0034
MDG Type - SYMBOL	1
sap_intrastat	84818011
Shoppable D2C	N/A

Logistics:

PAL materialnumber	20344000
PAL length	1200.0
PAL height	970.0
PAL width	800.0
PAL unit-dim	MM
PAL numerator	40.0
PAL denominator	1.0
ZPC materialnumber	20344000
ZPC length	1200.0
ZPC height	970.0
ZPC width	800.0
ZPC unit-dim	MM
ZPC numerator	54.0
ZPC denominator	1.0
ST materialnumber	20344000
ST length	384.988
ST height	64.999
ST width	335.001
ST gross-weight	4.1
ST net-weight	4.1
ST unit-dim	MM
ST numerator	1.0
ST denominator	1.0
ST unit-of-weight	KG
ZSK materialnumber	20344000
ZSK length	600.0
ZSK height	410.0
ZSK width	400.0
ZSK unit-dim	MM
ZSK numerator	5.0
ZSK denominator	1.0

Sparepart lists:

```
{
  "startdate": "2010-08-30T00:00:00.000+02:00",
  "material": "20344000", "explosion-drawing":
  {
    "1592908.tif": {
      "path":
      "explodraw/1000/1500/1590/1592/", "shadowPath":
      "explodraw/1000/1500/1590/1592/"}}, "list": {
      "path":
      "explodraw/1000/1500/1590/1592/", "filename":
      "1592908.tif", "position": "0", "type": "D", "package": "1
      ST", "name": null}, {"position": "1", "type": "L", "material":
      "48129000", "package": "1 ST", "name": "Poign\u00e9e
      marquage point rouge"}, {"position": "2", "type": "L",
      "material": "48130000", "package": "1 ST", "name":
      "Poign\u00e9e marquage point bleu"}, {"position": "3",
      "type": "L", "material": "45882000", "package": "1 ST",
      "name": "\u00e9 disques en c\u00e9ramique
      1/2\""}, {"position": "3.1", "type": "L", "material":
      "0392400M", "package": "1 ST", "name": "Joint torique
      18,2 x 1,7\""}, {"position": "4", "type": "L", "material":
      "45883000", "package": "1 ST", "name": "\u00e9
      disques en c\u00e9ramique 1/2\""}, {"position":
      "4.1", "type": "L", "material": "0392400M", "package": "1
      ST", "name": "Joint torique 18,2 x 1,7\""}, {"position": "5",
      "type": "L", "material": "46787000", "package": "1 ST",
      "name": "Tirette de vidage"}, {"position": "6", "type": "L",
      "material": "46794000", "package": "1 ST", "name":
      "Ecoulement eau"}, {"position": "7", "type": "L", "material":
      "48160000", "package": "1 ST", "name":
      "R\u00e9gulateur de d\u00e9bit"}, {"position": "8", "type":
      "L", "material": "46671000", "package": "1 ST", "name":
      "Fixation M26x1,5\""}, {"position": "9", "type": "L", "material":
      "12914000", "package": "1 ST", "name": "Raccord olive"},
      {"position": "10", "type": "L", "material": "28910000",
      "package": "1 ST", "name": "Garniture de vidage 1 1/4\""},
      {"position": "10.1", "type": "L", "material": "07182000",
      "package": "1 ST", "name": "Clapet de vidage"},
      {"position": "10.2", "type": "L", "material": "07052000",
      "package": "1 ST", "name": "Tige et rotule de vidage"},
      {"position": "11", "type": "L", "material": "1290100M",
      "package": "1 ST", "name": "Bague filet\u00e9 1/2\""},
      {"position": "11.1", "type": "L", "material": "0138900M",
      "package": "1 ST", "name": "Joint fibre 15x21\""},
      {"position": "12", "type": "L", "material": "45704000",
      "package": "1 ST", "name": "Flexible de raccordement"},
      {"position": "13", "type": "Z", "material": "19017000",
      "package": "1 ST", "name": "Cl\u00e9 tube SW 46
      mm de 400 mm"}, {"position": "14", "type": "Z", "material":
      "07341000", "package": "1 ST", "name": "Tige et rotule de
      vidage"}}, "explosion_drawing":
  [
    "https://cdn.cloud.grohe.com/explodraw/1000/1500/1590/1592/1"
  ]
}
```

Current spareparts list (valid from 2010-08-30)

Explosion drawing:

<https://cdn.cloud.grohe.com/explodraw/1000/1500/1590/1592/15>

Position	Item name	Material
1	Poignée marquage point rouge	48129000
2	Poignée marquage point bleu	48130000
3	Tête à disques en céramique 1/2"	45882000
3.1	Joint torique 18,2 x 1,7	0392400M
4	Tête à disques en céramique 1/2"	45883000
4.1	Joint torique 18,2 x 1,7	0392400M
5	Tirette de vidage	46787000
6	Ecoulement eau	46794000
7	Régulateur de débit	48160000
8	Fixation M26x1,5	46671000
9	Raccord olive	12914000
10	Garniture de vidage 1 1/4"	28910000
10.1	Clapet de vidage	07182000
10.2	Tige et rotule de vidage	07052000
11	Bague fileté 1/2"	1290100M
11.1	Joint fibre 15x21	0138900M
12	Flexible de raccordement	45704000
13	Clé à tube SW 46 mm de 400 mm	19017000
14	Tige et rotule de vidage	07341000

HTML:

collection-marketing-text_html

Avec GROHE Allure Brilliant, faites le choix d'un robinet de salle de bain qui repousse les limites, tant en matière d'esthétique que de performances. Unique et audacieuse, la gamme de robinets, douches et accessoires GROHE Allure Brilliant puise son inspiration dans la perfection naturelle et géométrique du diamant pour apporter à votre salle de bains une élégance toute contemporaine que vous pouvez intégrer à toutes vos idées.

text-long_html

Tête à disques céramique Carbodur 1/2"; 1/4 de tour
GROHE Finition Longue Durée
Débit limité à 5 l/min
Bec avec mousseur intégré
Tirette et garniture de vidage 1-1/4"
Flexibles de raccordement du bec aux robinets latéraux

text-short_html

Mélangeur Lavabo 3 trous

color-name_html

Taille M

communication-design_html

Chromé

Allure Brilliant

ETIM:

EF020785 Connection size supply	EV020209
EF020795 Outlet model	EV022216
EF016945	FALSE
EF002671 Basic colour	EV000291
EF020794 With rosettes/cover plate	FALSE
EF002286 Connection supply	EV004441
EF020781 Locking mechanism	EV022197
EF022750 Type of outlet	EV020780
EF001469 Type of power supply	-
EF020792 Low-pressure model	FALSE
EF022168 With hand shower	FALSE
EF020780 Number of grips	EV021934
EF023687 Water saving position	FALSE
EF020797 Construction height, underside of tap nozzle	201
EF000139 Surface protection	EV000189
EF025098 Flushing time adjustable	-
EF020105 Thermostatic	FALSE
EF001707 Max. supply temperature	70
EF016731 Sound class according to EN ISO 3822	EV020647
EF015280 Cold start function	FALSE
EF020798 Includes	EV022209
EF022042 Volume supply class	EV000494
EF020791 Material tap	EV000149
EF012753 Max. tap capacity (at 300 kPa),	5.00
EF022182 With chain	FALSE
EF020801 With stop valve for dishwasher	FALSE
EFDE0022 Class according to DIN-52 218	EV020647

EF006974 Sort of temperature control	EV020611
EF005084 Mounting	EV022387
EF020103 Self-closing	FALSE
EF020789 Outlet overhang length	149
EF020799 With grips	TRUE
EF016943	EV019340
EF000278 With transformer	-
EF023688 Tap nozzle	EV021259
EF014578 Temperature limit retrofittable	FALSE
EF017041	EV021934
EF021827 Max. tap capacity (at 300 kPa),	5.0
EF000010 Model	EV000147
EF023686 Accent colour	-
EF011775 Backflow safeguard according to EN 1717	EV013831
EF020871 Extendible outlet with aerator	FALSE
EF020872 Extendible outlet with hand shower	FALSE
EF005474 Degree of protection (IP),	-
EF014591 Hot water saving retrofittable	FALSE
EF020796 Total construction height	221
EF025102 Programming	-
EF002149 With temperature limit	FALSE
EF020787	EV020647
EF021835 Centre distance	200
EF011779 With hot water saving function	FALSE
EF025109 Surface treatment	EV006747
EF000003 Mounting method	EV022387
EF022133 With building management system	FALSE
EF021808 Number of tap holes	EV022204
EFSE0002 Type approval acc to BBR/EKS	FALSE
EF007955 With couplers	FALSE
EF011781 Type of stop valve for dishwasher	-

Asset links (with tags):

Product Feature Video	videoAssets::https://cdn.cloud.grohe.com/Multi_Media_New/Moc
	videoAssets::https://cdn.cloud.grohe.com/Multi_Media_New/Moc
	videoAssets::https://cdn.cloud.grohe.com/Multi_Media_New/Moc
Technical Document	ZTP::https://cdn.cloud.grohe.com/tpi/1000/1800/1830/1836/1836
PQ Diagrams	ZDF::https://cdn.cloud.grohe.com/PQCharts/lores/2/203/original/
Other Pictures	ZZH::https://cdn.cloud.grohe.com/zzh_i/T/T20/ZZH_T20344Z01_
	ZZH::https://cdn.cloud.grohe.com/zzh_i/T/T20/ZZH_T20344C04_
	ZZH::https://cdn.cloud.grohe.com/zzh_i/T/T20/ZZH_T20344C04_
Line Drawing	ZSZ::https://cdn.cloud.grohe.com/linedraw/1000/1500/1510/1510
Dimensional Drawing	ZMA::https://cdn.cloud.grohe.com/CAD/1000/1500/1530/1531/1531
	ZMA::https://cdn.cloud.grohe.com/CAD/1000/1500/1530/1531/1531
	ZMA::https://cdn.cloud.grohe.com/dimdraw/1000/1800/1830/1830
CAD / 3D Data	ZCS::https://cdn.cloud.grohe.com/CAD/1000/1500/1530/1532/1532
Exploded-view Drawing	ZEX::https://cdn.cloud.grohe.com/explodraw/1000/1800/1830/1830

Close Up

1 Close

Up::https://cdn.cloud.grohe.com/zzh_i/P/PM3/ZZH_PM3938600

1 Close

Up::https://cdn.cloud.grohe.com/zzh_i/P/PM3/ZZH_PM3947900

1 Close

Up::https://cdn.cloud.grohe.com/zzh_i/P/PM3/ZZH_PM3947700

1 Close

Up::https://cdn.cloud.grohe.com/zzh_i/P/PM3/ZZH_PM3947300

1 Close

Up::https://cdn.cloud.grohe.com/zzh_i/P/PM3/ZZH_PM3947500

Standard Product Photo (Coloured)

ZZF::https://cdn.cloud.grohe.com/prod/20/20/20344000/1500/20

Packshot links:

colorPictures

grayScalePicture2

explo-with-position

lineDrawing

dimensionalDrawingMM

https://cdn.cloud.grohe.com/prod/20/20/20344000/1500/2034400

https://cdn.cloud.grohe.com/sw/20/20/F2034401/1500/F2034401

https://cdn.cloud.grohe.com/explodraw/1000/1800/1830/1836/1836

https://cdn.cloud.grohe.com/linedraw/1000/1500/1510/1511/1511

https://cdn.cloud.grohe.com/dimdraw/1000/1800/1830/1836/1836

Images

